UTILITY TAMPER

MODEL 2400





UTILITY TAMPER

MODEL 2400

The compact, powerful 2400 is a superb all-around utility tamper that is ideal for close quarters work such as switches and crossovers.

The simple mechanics and rugged construction assure long, steady performance with little maintenance.

Because of the simplicity of its hydraulics vibratory motors and workhead operations, troubleshooting is easy. Repairs can be made quickly on the job and downtime is negligible.

The versatile 2400 feature transverse sliding workheads, cross tamping with positive squeeze, economical all-hydraulic operation and optional light beam surface and/or line reference.

Tamping power comes from four hydraulic vibrators, two per side, each powering dual tamping tools — a total of 16 tamping blades per machine.

The 2400 will give you performance, reliability and economy. That's why short lines and contractors in particular like it.

SPECIFICATIONS

| Gradability | 3% |
|----------------------------|---|
| Surface | 0-6 inches (0-15 cm) |
| Cross-level | 0-8 inches (0-20 cm) Superelevation |
| Lining | 0-5 inches (0-13 cm) |
| Travel Speed | 25 mph (40 kph) |
| Wheels | Cast steel, 16 inch (40 cm) effective diameter |
| Length | 16 feet (4.86 m), with buggies - 23 feet (7.1 m) |
| Width (traveling) | 8 feet - 6 inches (2.6 m) |
| Width (working with jacks) | 11 feet - 7 inches (3.5 m) |
| Height Over Rail | 10 feet - 1 inch (3 m) |
| Weight | 13,000 pounds (5,850 kg) |
| Wheel Base | 6 feet - 9 inches (2 m) |
| Engine | Cummins Diesel QSB4.5 Tier 111, - 110 hp @ 2500 rpm |
| Vibrators | Four 3-horsepower hydraulic vibrators |
| Hydraulic Cylinders | Extra-heavy duty welded cylinder design |
| Propulsion System | Chain drive, front axle, 3-speed transmission, hydraulic motor driven |
| Brakes | Air-operated external shoe on all four wheels. Mechanical parking brakes |
| Set-off | Center turntable |
| Fuel Tank Capacity | 40 U.S. gallons (152 liters) |
| Hydraulic Tank Capacity | 45 U.S. gallons (171 liters) |
| Derail Protection | Derail bars located near axles |

Learn more at harscorail.com



Harsco Rail, Harsco Corporation
Facility Locations:

Harsco Rail Global Headquarters 3440 Toringdon Way Suite 100, Building 3 Charlotte, NC 28277, USA +1 980 960-2624

Harsco Rail Manufacturing Operations 2401 Edmund Road, Box 20 West Columbia, SC 29171-0020, USA +1 803 822-9160 railinfn@harsco.com

Harsco Rail Engineering Center 306 West 4th Street Fairmont, MN 56031-1837, USA +1 507 235-7376 railinfo@harsco.com

Harsco Rail Manufacturing Operations 200 South Jackson Road Ludington, MI 49431, USA +1 231 843-3431 railinfo@harsco.com

Protran Technology 1960 Old Cuthbert Road, Suite 100 Cherry Hill, NJ 08034, USA +1 856 779-7795 info@protrantechnology.com

Harsco Rail Pty Ltd Australia 4 Strathwyn Street, P.O. Box 5287 Brendale, Queensland 4500, Australia +61 7 3205 6500

Harsco Rail Ltd United Kingdom Unit 1, Chewton Street, Eastwood Nottingham NG16 3HB, United Kingdom +44 (0) 1773 539480 uksales@harsco.com

Harsco Rail Ltda Brazil Av. Marechal Câmara, 160 / 1615, Centro Rio de Janeiro RJ 20020-080, Brazil +55 21 2510-5164 / -5151

Harsco Rail Europe GmbH Luetticher Str. 130 40547 Duesseldorf, Germany +49 (0) 211 60116 0 info.emea@harsco.com

Harsco Rail China Room C1201 Tower 2, No.36 BeiSanHuan Dong Lu, DongCheng District, Beijing 100013, P.R. China +87 10-6590-6399

Harsco Track Machines and Services Private Limited India 2nd Floor, Building Alpha, Bengal Intelligent Park Block EP & GP, Sector V, Salt Lake, Kolkata 700091 West Bengal, India 491 33 2357 5651

The HARSCO RAIL equipment pictured in this proclure is intended to illustrate the general appearance and features of this product. It is apquipped as specified by a particular customer and may or may not show items that are optional or recommended by HARSCO RAIL, Harsco Corporation. Specifications, illustrations, and descriptive materials herein were accurate as known at the time this publication was approved for printing. HARSCO RAIL, Harsco Corporation reserves the right to discontinue models or options at any time or change specifications and materials, equipment and design without notice and without incurring obligation. Federal, State or Provincial, and/or local laws and regulations may require additional equipment for the particular use intended for this product. It is the buyer's responsibility to determine the applicability of such laws and regulations to the buyer's intended use for the product and to arrange for the installation of the required equipment. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies and/or mark holders.